Homology

October 24, 2026

Contents

0.1 Homology, I: Simplices 4
0.1.1 Standard simplices, all of which are topological subspaces of $R\widehat{}n$. 4
0.1.2 Face map 4
0.1.3 Singular simplices, forcing canonicity outside the intended domain 4
0.1.4 Singular chains 4
0.1.5 Boundary homomorphism for singular chains 4
0.1.6 Factoring out chains in a subtopology for relative homology 4
0.1.7 Relative cycles $Z_pX(S)$ where X is a topology and S a subset 4
0.1.8 Relative boundaries B_pXS, where X is a topology and S a subset. 4
0.1.9 The (relative) homology relation 4
0.1.10 Show that all boundaries are cycles, the key "chain complex" property. 4
0.1.11 Operations induced by a continuous map g between topological spaces 4
0.1.12 Homology of one-point spaces degenerates except for $p = 0$. 4
0.1.13 Simplicial chains 5
0.1.14 The cone construction on simplicial simplices. 5
0.1.15 Barycentric subdivision of a linear ("simplicial") simplex's image 5
0.1.16 Singular subdivision 5
0.1.17 Excision argument that we keep doing singular subdivision 5
0.1.18 Homotopy invariance 5
0.2 Homology, II: Homology Groups 6
0.2.1 Homology Groups 6
0.2.2 Towards the Eilenberg-Steenrod axioms 6
0.2.3 Additivity axiom 6
0.2.4 Special properties of singular homology 7

0.2.5 More basic properties of homology groups, deduced from the E-S axioms 8

0.2.6 Generalize exact homology sequence to triples 8

0.3 Homology, III: Brouwer Degree 9

0.3.1 Reduced Homology 9

0.3.2 More homology properties of deformations, retracts, contractible spaces 9

0.3.3 Homology groups of spheres 10

0.3.4 Brouwer degree of a Map 10


0.4 Invariance of Domain 11

0.4.1 Degree invariance mod 2 for map between pairs . . . 11

0.4.2 General Jordan-Brouwer separation theorem and invariance of dimension 11

0.4.3 Relating two variants of Euclidean space, one within product topology. 13

0.4.4 Invariance of dimension and domain 13


[Pure]
[Tools]
[HOL]
[HOL-Cardinals]
[HOL-Library]
[HOL-Combinatorics]
[HOL-Algebra]
[HOL-Analysis]
Simplices
Homology_Groups
Brouwer_Degree
Invariance_of_Domain
Homology

0.1 Homology, I: Simplices

theory *Simplices*
imports
HOL−Analysis.Function_Metric
HOL−Analysis.Abstract_Euclidean_Space
HOL−Algebra.Free_Abelian_Groups
begin

0.1.1 Standard simplices, all of which are topological subspaces of $R\widehat{}n$.

0.1.2 Face map

0.1.3 Singular simplices, forcing canonicity outside the intended domain

0.1.4 Singular chains

0.1.5 Boundary homomorphism for singular chains

0.1.6 Factoring out chains in a subtopology for relative homology

0.1.7 Relative cycles $Z_pX(S)$ where X is a topology and S a subset

0.1.8 Relative boundaries B_pXS, where X is a topology and S a subset.

0.1.9 The (relative) homology relation

0.1.10 Show that all boundaries are cycles, the key "chain complex" property.

0.1.11 Operations induced by a continuous map g between topological spaces

0.1.12 Homology of one-point spaces degenerates except for $p = 0$.

0.1.13 Simplicial chains

0.1.14 The cone construction on simplicial simplices.

0.1.15 Barycentric subdivision of a linear ("simplicial") simplex's image

0.1.16 Singular subdivision

0.1.17 Excision argument that we keep doing singular subdivision

proposition *sufficient_iterated_singular_subdivision_exists*:
assumes $\mathcal{C}$: $\bigwedge U.\ U \in \mathcal{C} \Longrightarrow$ *openin X U*
and X: *topspace X* $\subseteq \bigcup \mathcal{C}$
and p: *singular_chain p X c*
obtains n **where** $\bigwedge m\ f.\ [\![n \leq m; f \in$ *Poly_Mapping.keys* ((*singular_subdivision p* $\frown\frown$ *m) c*)$]\!]$
$\Longrightarrow \exists V \in \mathcal{C}.\ f \in$ (*standard_simplex p*) $\to V$

0.1.18 Homotopy invariance

theorem *homotopic_imp_homologous_rel_chain_maps*:
assumes *hom*: *homotopic_with* ($\lambda h.\ h \in T \to V$) *S U f g* **and** *c*: *singular_relcycle p S T c*
shows *homologous_rel p U V* (*chain_map p f c*) (*chain_map p g c*)

end

0.2 Homology, II: Homology Groups

theory *Homology_Groups*
imports *Simplices HOL−Algebra.Exact_Sequence*

begin

0.2.1 Homology Groups

0.2.2 Towards the Eilenberg-Steenrod axioms

proposition *homology_homotopy_axiom*:
assumes *homotopic_with* $(\lambda h.\ h \in S \to T)\ X\ Y\ f\ g$
shows *hom_induced* $p\ X\ S\ Y\ T\ f$ = *hom_induced* $p\ X\ S\ Y\ T\ g$

proposition *homology_excision_axiom*:
assumes X *closure_of* $U \subseteq X$ *interior_of* $T\ T \subseteq S$
shows
hom_induced p (*subtopology* X $(S - U)$) $(T - U)$ (*subtopology* $X\ S$) T *id*
$\in$ *iso* (*relative_homology_group* p (*subtopology* X $(S - U)$) $(T - U)$)
(*relative_homology_group* p (*subtopology* $X\ S$) T)

0.2.3 Additivity axiom

proposition *iso_cycle_group_sum*:
assumes *disj*: *pairwise disjnt* $\mathcal{U}$ **and** *UU*: $\bigcup\mathcal{U}$ = *topspace* X

and *subs*: $\bigwedge C\ T.\ [\![compactin\ X\ C;\ path_connectedin\ X\ C;\ T \in \mathcal{U};\ \neg\ disjnt\ C\ T]\!] \Longrightarrow C \subseteq T$
shows $(\lambda f.\ sum'\ f\ \mathcal{U}) \in iso\ (sum_group\ \mathcal{U}\ (\lambda T.\ relcycle_group\ p\ (subtopology\ X\ T)\ \{\}))$
$(relcycle_group\ p\ X\ \{\})$

proposition *homology_additivity_axiom_gen*:
assumes *disj*: *pairwise disjnt* $\mathcal{U}$ **and** *UU*: $\bigcup\mathcal{U} = topspace\ X$
and *subs*: $\bigwedge C\ T.\ [\![compactin\ X\ C;\ path_connectedin\ X\ C;\ T \in \mathcal{U};\ \neg\ disjnt\ C\ T]\!] \Longrightarrow C \subseteq T$
shows $(\lambda x.\ gfinprod\ (homology_group\ p\ X)$
$(\lambda V.\ hom_induced\ p\ (subtopology\ X\ V)\ \{\}\ X\ \{\}\ id\ (x\ V))\ \mathcal{U})$
$\in iso\ (sum_group\ \mathcal{U}\ (\lambda S.\ homology_group\ p\ (subtopology\ X\ S)))\ (homology_group\ p\ X)$
(**is** *?h* $\in$ *iso ?SG ?HG*)

corollary *homology_additivity_axiom*:
assumes *disj*: *pairwise disjnt* $\mathcal{U}$ **and** *UU*: $\bigcup\mathcal{U} = topspace\ X$
and *ope*: $\bigwedge v.\ v \in \mathcal{U} \Longrightarrow openin\ X\ v$
shows $(\lambda x.\ gfinprod\ (homology_group\ p\ X)$
$(\lambda v.\ hom_induced\ p\ (subtopology\ X\ v)\ \{\}\ X\ \{\}\ id\ (x\ v))\ \mathcal{U})$
$\in iso\ (sum_group\ \mathcal{U}\ (\lambda S.\ homology_group\ p\ (subtopology\ X\ S)))\ (homology_group\ p\ X)$

0.2.4 Special properties of singular homology

proposition *iso_integer_zeroth_homology_group*:
assumes *X*: *path_connected_space X* **and** *f*: *singular_simplex 0 X f*
shows *pow* $(homology_group\ 0\ X)$ $(homologous_rel_set\ 0\ X\ \{\}\ (frag_of\ f))$
$\in iso\ integer_group\ (homology_group\ 0\ X)$ (**is** *pow ?H ?q* $\in iso$ *_ ?H*)

corollary *isomorphic_integer_zeroth_homology_group*:
assumes *X*: *path_connected_space X topspace X* $\neq \{\}$
shows *homology_group 0 X* $\cong$ *integer_group*

corollary *homology_coefficients*:
topspace X $= \{a\} \Longrightarrow$ *homology_group 0 X* $\cong$ *integer_group*

proposition *zeroth_homology_group*:
homology_group 0 X $\cong$ *free_Abelian_group* $(path_components_of\ X)$

0.2.5 More basic properties of homology groups, deduced from the E-S axioms

corollary *mon_hom_induced_section_map*:
assumes *section_map X Y f*
shows (*hom_induced p X {} Y {} f*) ∈ *mon* (*homology_group p X*) (*homology_group p Y*)

corollary *epi_hom_induced_retraction_map*:
assumes *retraction_map X Y f*
shows (*hom_induced p X {} Y {} f*) ∈ *epi* (*homology_group p X*) (*homology_group p Y*)

0.2.6 Generalize exact homology sequence to triples

proposition *homology_exactness_triple_1*:
assumes *T* ⊆ *S*
shows *exact_seq* ([*relative_homology_group*(*p*−1) (*subtopology X S*) *T*,
relative_homology_group p X S,
relative_homology_group p X T],
[*hom_relboundary p X S T*, *hom_induced p X T X S id*])
(**is** *exact_seq* ([*?G1*,*?G2*,*?G3*], [*?h1*,*?h2*]))

proposition *homology_exactness_triple_2*:
assumes *T* ⊆ *S*
shows *exact_seq* ([*relative_homology_group*(*p*−1) *X T*,
relative_homology_group(*p*−1) (*subtopology X S*) *T*,
relative_homology_group p X S],
[*hom_induced* (*p*−1) (*subtopology X S*) *T X T id*, *hom_relboundary p X S T*])
(**is** *exact_seq* ([*?G1*,*?G2*,*?G3*], [*?h1*,*?h2*]))

proposition *homology_exactness_triple_3*:
assumes *T* ⊆ *S*

shows *exact_seq* ([*relative_homology_group p X S*,
relative_homology_group p X T,
relative_homology_group p (*subtopology X S*) *T*],
[*hom_induced p X T X S id*, *hom_induced p* (*subtopology X S*) *T X T id*])
(**is** *exact_seq* ([*?G1*,*?G2*,*?G3*], [*?h1*,*?h2*]))

end

0.3 Homology, III: Brouwer Degree

theory *Brouwer_Degree*
imports *Homology_Groups HOL−Algebra.Multiplicative_Group*

begin

0.3.1 Reduced Homology

0.3.2 More homology properties of deformations, retracts, contractible spaces

corollary *isomorphic_relative_homology_groups_relativization_contractible*:
assumes *contractible_space*(*subtopology X S*) *contractible_space*(*subtopology X T*) $T \subseteq S$ *topspace* $X \cap T \neq \{\}$
shows *relative_homology_group p X T* $\cong$ *relative_homology_group p X S*

corollary *isomorphic_relative_homology_groups_inclusion_contractible*:
assumes *contractible_space X contractible_space*(*subtopology X S*) $T \subseteq S$ *topspace* $X \cap S \neq \{\}$

shows *relative_homology_group p (subtopology X S) T ≅ relative_homology_group p X T*

corollary *isomorphic_relative_homology_groups_relboundary_contractible*:
assumes *contractible_space X contractible_space(subtopology X T) T ⊆ S topspace X ∩ T ≠ {}*
shows *relative_homology_group p X S ≅ relative_homology_group (p − 1) (subtopology X S) T*

0.3.3 Homology groups of spheres

proposition *iso_relative_homology_group_upper_hemisphere*:
(hom_induced p (subtopology (nsphere n) {x. x k ≥ 0}) {x. x k = 0} (nsphere n) {x. x k ≤ 0} id)
∈ iso (relative_homology_group p (subtopology (nsphere n) {x. x k ≥ 0}) {x. x k = 0})
*(relative_homology_group p (nsphere n) {x. x k ≤ 0}) (**is** ?h ∈ iso ?G ?H)*

corollary *iso_upper_hemisphere_reduced_homology_group*:
(hom_boundary (1 + p) (subtopology (nsphere (Suc n)) {x. x(Suc n) ≥ 0}) {x. x(Suc n) = 0})
∈ iso (relative_homology_group (1 + p) (subtopology (nsphere (Suc n)) {x. x(Suc n) ≥ 0}) {x. x(Suc n) = 0})
(reduced_homology_group p (nsphere n))

corollary *iso_reduced_homology_group_upper_hemisphere*:
assumes *k ≤ n*
shows *hom_induced p (nsphere n) {} (nsphere n) {x. x k ≥ 0} id*
∈ iso (reduced_homology_group p (nsphere n)) (relative_homology_group p (nsphere n) {x. x k ≥ 0})

0.3.4 Brouwer degree of a Map

corollary *Brouwer_degree2_nonsurjective*:
⟦*continuous_map*(*nsphere p*) (*nsphere p*) *f*; *f* ‘ *topspace* (*nsphere p*) ≠ *topspace* (*nsphere p*)⟧
⟹ *Brouwer_degree2 p f* = *0*

proposition *Brouwer_degree2_reflection*:
Brouwer_degree2 p (λ*x i*. *if i* = *0 then* −*x i else x i*) = −*1* (**is** *Brouwer_degree2* _ *?r* = −*1*)

end

0.4 Invariance of Domain

theory *Invariance_of_Domain*
imports *Brouwer_Degree HOL−Analysis.Continuous_Extension HOL−Analysis.Homeomorphism*

begin

0.4.1 Degree invariance mod 2 for map between pairs

theorem *Borsuk_odd_mapping_degree_step*:
assumes *cmf*: *continuous_map* (*nsphere n*) (*nsphere n*) *f*
and *f*: ⋀*u*. *u* ∈ *topspace*(*nsphere n*) ⟹ (*f* ∘ (λ*x i*. −*x i*)) *u* = ((λ*x i*. −*x i*) ∘ *f*) *u*
and *fim*: *f* ∈ (*topspace*(*nsphere*(*n* − *Suc 0*))) → *topspace*(*nsphere*(*n* − *Suc 0*))
shows *even* (*Brouwer_degree2 n f* − *Brouwer_degree2* (*n* − *Suc 0*) *f*)

0.4.2 General Jordan-Brouwer separation theorem and invariance of dimension

proposition *relative_homology_group_Euclidean_complement_step*:
assumes *closedin* (*Euclidean_space n*) *S*
shows *relative_homology_group p* (*Euclidean_space n*) (*topspace*(*Euclidean_space n*) − *S*)
≅ *relative_homology_group* (*p* + *k*) (*Euclidean_space* (*n*+*k*)) (*topspace*(*Euclidean_space* (*n*+*k*)) − *S*)

proposition *isomorphic_relative_homology_groups_Euclidean_complements*:
assumes *S*: *closedin* (*Euclidean_space n*) *S* **and** *T*: *closedin* (*Euclidean_space n*) *T*
and *hom*: (*subtopology* (*Euclidean_space n*) *S*) *homeomorphic_space* (*subtopology* (*Euclidean_space n*) *T*)
shows *relative_homology_group p* (*Euclidean_space n*) (*topspace*(*Euclidean_space n*) − *S*)

$\cong$ *relative_homology_group p* (*Euclidean_space n*) (*topspace*(*Euclidean_space n*) − *T*)

theorem *invariance_of_dimension_Euclidean_space*:
Euclidean_space m homeomorphic_space Euclidean_space n ⟷ *m* = *n*

theorem *invariance_of_domain_Euclidean_space*:
assumes *U*: *openin* (*Euclidean_space n*) *U*
and *cmf*: *continuous_map* (*subtopology* (*Euclidean_space n*) *U*) (*Euclidean_space n*) *f*
and *inj_on f U*
shows *openin* (*Euclidean_space n*) (*f* ‘ *U*) (**is** *openin ?E* (*f* ‘ *U*))

corollary *invariance_of_domain_Euclidean_space_embedding_map*:
assumes *openin* (*Euclidean_space n*) *U*
and *cmf*: *continuous_map*(*subtopology* (*Euclidean_space n*) *U*) (*Euclidean_space n*) *f*
and *inj_on f U*
shows *embedding_map*(*subtopology* (*Euclidean_space n*) *U*) (*Euclidean_space n*) *f*

corollary *invariance_of_domain_Euclidean_space_gen*:
assumes *n* ≤ *m* **and** *U*: *openin* (*Euclidean_space m*) *U*
and *cmf*: *continuous_map*(*subtopology* (*Euclidean_space m*) *U*) (*Euclidean_space n*) *f*
and *inj_on f U*
shows *openin* (*Euclidean_space n*) (*f* ‘ *U*)

corollary *invariance_of_domain_Euclidean_space_embedding_map_gen*:
assumes *n* ≤ *m* **and** *U*: *openin* (*Euclidean_space m*) *U*
and *cmf*: *continuous_map*(*subtopology* (*Euclidean_space m*) *U*) (*Euclidean_space n*) *f*
and *inj_on f U*
shows *embedding_map*(*subtopology* (*Euclidean_space m*) *U*) (*Euclidean_space n*) *f*

0.4.3 Relating two variants of Euclidean space, one within product topology.

proposition *homeomorphic_maps_Euclidean_space_euclidean_gen_OLD*:
fixes $B :: 'n::euclidean_space\ set$
assumes *finite B independent B* **and** *orth*: *pairwise orthogonal B* **and** *n*: *card B* = *n*
obtains *f g* **where** *homeomorphic_maps* (*Euclidean_space n*) (*top_of_set* (*span B*)) *f g*

proposition *homeomorphic_maps_Euclidean_space_euclidean_gen*:
fixes $B :: 'n::euclidean_space\ set$
assumes *independent B* **and** *orth*: *pairwise orthogonal B* **and** *n*: *card B* = *n*
and *1*: $\bigwedge u.\ u \in B \Longrightarrow norm\ u = 1$
obtains *f g* **where** *homeomorphic_maps* (*Euclidean_space n*) (*top_of_set* (*span B*)) *f g*
and $\bigwedge x.\ x \in topspace\ (Euclidean_space\ n) \Longrightarrow (norm\ (f\ x))^2 = (\sum i{<}n.\ (x\ i)^2)$

corollary *homeomorphic_maps_Euclidean_space_euclidean*:
obtains $f :: (nat \Rightarrow real) \Rightarrow 'n::euclidean_space$ **and** *g*
where *homeomorphic_maps* (*Euclidean_space* (*DIM*('*n*))) *euclidean f g*

0.4.4 Invariance of dimension and domain

corollary *invariance_of_domain_subspaces*:
fixes $f :: 'a::euclidean_space \Rightarrow 'b::euclidean_space$
assumes *ope*: *openin* (*top_of_set U*) *S*
and *subspace U subspace V* **and** *VU*: *dim V* ≤ *dim U*
and *contf*: *continuous_on S f* **and** *fim*: $f \in S \to V$
and *injf*: *inj_on f S*
shows *openin* (*top_of_set V*) (*f* ‘ *S*)

corollary *invariance_of_dimension_subspaces*:
fixes $f :: 'a::euclidean_space \Rightarrow 'b::euclidean_space$
assumes *ope*: *openin* (*top_of_set U*) *S*
and *subspace U subspace V*
and *contf*: *continuous_on S f* **and** *fim*: *f* ‘ *S* ⊆ *V*
and *injf*: *inj_on f S* **and** *S* ≠ {}
shows *dim U* ≤ *dim V*

corollary *invariance_of_domain_affine_sets*:
fixes $f :: 'a::euclidean_space \Rightarrow 'b::euclidean_space$
assumes *ope*: *openin* (*top_of_set U*) *S*
and *aff*: *affine U affine V aff_dim V* ≤ *aff_dim U*
and *contf*: *continuous_on S f* **and** *fim*: *f* ‘ *S* ⊆ *V*
and *injf*: *inj_on f S*

shows *openin* (*top_of_set V*) (*f ‘ S*)

corollary *invariance_of_dimension_affine_sets*:
fixes *f* :: *'a*::*euclidean_space* ⇒ *'b*::*euclidean_space*
assumes *ope*: *openin* (*top_of_set U*) *S*
and *aff*: *affine U affine V*
and *contf*: *continuous_on S f* **and** *fim*: *f ‘ S* ⊆ *V*
and *injf*: *inj_on f S* **and** *S* ≠ {}
shows *aff_dim U* ≤ *aff_dim V*

corollary *invariance_of_dimension*:
fixes *f* :: *'a*::*euclidean_space* ⇒ *'b*::*euclidean_space*
assumes *contf*: *continuous_on S f* **and** *open S*
and *injf*: *inj_on f S* **and** *S* ≠ {}
shows *DIM*(*'a*) ≤ *DIM*(*'b*)

corollary *continuous_injective_image_subspace_dim_le*:
fixes *f* :: *'a*::*euclidean_space* ⇒ *'b*::*euclidean_space*
assumes *subspace S subspace T*
and *contf*: *continuous_on S f* **and** *fim*: *f ‘ S* ⊆ *T*
and *injf*: *inj_on f S*
shows *dim S* ≤ *dim T*

corollary *invariance_of_domain_homeomorphic*:
fixes *f* :: *'a*::*euclidean_space* ⇒ *'b*::*euclidean_space*
assumes *open S continuous_on S f DIM*(*'b*) ≤ *DIM*(*'a*) *inj_on f S*
shows *S homeomorphic* (*f ‘ S*)

proposition *homeomorphic_interiors*:
fixes *S* :: *'a*::*euclidean_space set* **and** *T* :: *'b*::*euclidean_space set*
assumes *S homeomorphic T interior S* = {} ⟷ *interior T* = {}
shows (*interior S*) *homeomorphic* (*interior T*)

proposition *uniformly_continuous_homeomorphism_UNIV_trivial*:
fixes *f* :: *'a*::*euclidean_space* ⇒ *'a*
assumes *contf*: *uniformly_continuous_on S f* **and** *hom*: *homeomorphism S UNIV f g*
shows *S* = *UNIV*

proposition *invariance_of_domain_sphere_affine_set_gen*:
fixes *f* :: *'a*::*euclidean_space* ⇒ *'b*::*euclidean_space*
assumes *contf*: *continuous_on S f* **and** *injf*: *inj_on f S* **and** *fim*: *f ‘ S* ⊆ *T*
and *U*: *bounded U convex U*
and *affine T* **and** *affTU*: *aff_dim T* < *aff_dim U*
and *ope*: *openin* (*top_of_set* (*rel_frontier U*)) *S*
shows *openin* (*top_of_set T*) (*f ‘ S*)

end

theory *Homology*
  imports *Invariance_of_Domain*
begin

end